UNIVINYL

Created by UNIVERSAL **MOULDINGS**

An exclusive range of solid vinyl stick-down profiles, designed for use with all types of click LVT and vinyl floors.

Water resistant profiles and adhesives make Univinyl the perfect accessory for areas exposed to moisture.

All profiles are available from stock in 0.9m and 2.7m lengths

UNIVINYL Nosing

A perfect finishing trim for a step or exposed corner, the nosing measures 24x20mm and features two adhesive strips on the underside for maximum adhesion



Lengths available 0.9m and 2.7m

UNIVINYL End Profile

The vinyl end is a neat border profile that can be used to cover an exposed edge, or to trim the outside of a surface that does not require an expansion gap.



Lengths available 0.9m and 2.7m

UNIVERSAL MOULDINGS

UNIVINYL

Universal Mouldings Ltd
Brookfield Drive
Liverpool L9 7AN

T: 0151 525 4271
F: 0151 525 5893
E: sales@universalmouldings.co.uk
W: www.universalmouldings.co.uk

Trade Counter/Showroom Opening Times

Monday	8.00am - 5.00pm	Friday	8.00am - 5.00pm
Tuesday	8.00am - 5.00pm	Saturday	8.00am - 1.00pm
Wednesday	8.00am - 5.00pm	Sunday	CLOSED
Thursday	8.00am - 5.00pm		

THE UK'S LEADING MANUFACTURER OF FLOORING ACCESSORIES

UNIVINYL Coverstrip

A self-adhesive, water resistant vinyl strip, designed to cover an expansion gap or space between two floors of similar height. Available from stock in 11 colours, including gold.



Lengths available 0.9m and 2.7m

UNIVINYL Edge Profile

A unique border profile designed to adhere to the wall or vertical surface surrounding the floor, covering the expansion gap and the edge of the floor. Features a unique flexible strip which forms a seal against the outer surface.



Available in 2.7m lengths

Colour Options

UNIVINYL UniRamp

The vinyl UniRamp is shaped to form a smooth transition between two surfaces with a height difference of up to 18mm.



Lengths available 0.9m and 2.7m

UNIVINYL Ramp

A traditional ramp, angled to form a neat transition between two surfaces with a height difference of 6-8mm



Lengths available 0.9m and 2.7m

Fitting Instructions

Profiles should be cut to length and test fitted before exposing the adhesive strips.

To ensure successful adhesion it is vital that the relevant surfaces are completely clean and dry before application.

Once in position press down firmly along the profile to ensure good contact with the floor.